DOCUMENT RESUME

ED 452 044 SE 064 575

AUTHOR Gomez, Luis Alberto; Lemos, David; Carlos de Souza, Antonio;

Speck, Henderson Jose

TITLE Virtual Reality in the Teaching of the Technical Drawing.

PUB DATE 2000-08-00

NOTE 6p.

PUB TYPE Reports - Descriptive (141) EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS *Computer Graphics; *Design; Higher Education; *Internet;

Models; Secondary Education; *Technical Education; *Virtual

Reality

ABSTRACT

This paper proposes the use of the Virtual Reality Modeling Language (VRML) language for teaching technical drawing projections. Three dimensional models and exercises are left to students over the Internet substituting the old wood models in the classroom. An introduction to the VRML language is presented. A detailed description on how models are created and an exercise is shown. (Author/SAH)



Virtual Reality in the Teaching of the Technical Drawing

Luis Alberto Gómez - MEE-USFC-ECV-Cx. 476 - CEP88040-900 Fpolis-SC - Brasil David Lemos - M.Eng-USFC-EGR-Cx. 476 - CEP88040-900 Fpolis-SC - Brasil Antônio Carlos de Souza - Eng-USFC-EGR-Cx. 476 - CEP88040-900 Fpolis-SC - Brasil Henderson José Speck-Eng - USFC-EGR-Cx. 476 - CEP88040-900 Fpolis-SC - Brasil

ABSTRACT: This paper proposes the use of the VRML language for teaching Technical Drawing projections. 3-D Models and exercises are left to students over the Internet substituting the old wood models in the classroom. An introduction to the VRML language is presented. A detailed description on how models are created and an exercise is shown.

1. Introduction

The Technical Drawing teaching in Architecture and Engineering usually trains the students to show three-dimensional elements in a bi-dimensional representation given by views and perspectives. Because this kind of abstraction represents one of the great difficulties for the students a large number of exercises are given to them, always based in full or small scale wood made models.

The tools for drawing and design have change dramatically over the last decade, by the introduction of the Computer Aided Design (CAD) programs. The teaching is also changing by the use of Internet. The changes on the teaching of Technical Drawing can not be limited just to teach how to use a CAD program. It has to break the gap between the real elements and the way we represent them.

The use of the VRML and Internet gives the students the possibility of "handling" a model in a virtual way. In an indirect way the students are motivated to make the exercises that are proposed. This technique also allows supervised distant learning, reaching different areas of the teaching of Technical Drawing, specially the representation of orthogonal projections, exploded views and perspectives of parts and models.

Another important application of the method proposed is the teaching of architecture and engineering in the cooperative design of machines, tools or buildings by students with different backgrounds, skills and probably in different physical locations, interchanging draft drawings and data over the Internet.

This methodology approaches the students with the challenges that will find in the industrial technology-based economy of the 21st century, and gives them the basis skills for cooperative engineering, distance learning and problem solving.

2. The VRML language

Tim Berners-Lee and Dave Raggett, from CERN, the creators of the WWW ("World Wide Web") proposed the VRML language in 1994. From this idea a draft standard was established [1] defining the basic characteristics of the language.

The VRML language (VRML is an acronyms for "Virtual Reality Modeling Language") is a scene description language that works with three-dimensional models over the Internet. Accessing an URL (Unique Resource Locator) containing a VRML document (this documents are call "worlds"), the information is downloaded into the Internet browser. As the browser detects the type of file, a VRML visualizer is initiated. This visualizer allows to move the scene (and/or the observers) in a three dimensional virtual world. The files containing the "VRML Worlds" have a ".wrl" suffix, in opposition to the ".html" suffix in traditional WWW pages.

The VRML language allows adding other information into the three-dimensional model, such as links to other Internet documents. As its ancestor, the HTML language, the VRML language, works in a large variety of platforms, from personal computers to powerful workstations. Another important feature of VRML: it is compact, allowing a reasonable response time over the Internet. Complex three-dimensional models can be described in files with size compatible with the size of common HTML documents.

Now a day, browsers allow visualizing the VRML models either directly or through the use of "plug-ins".

The VRML language has evolved and the version accepted as standard by the industry (Silicon Graphics,

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

L. Conoz

OLE ASTE

U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improvement PDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it.

- Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Sony, Microsoft, AutoDesk, etc.) is the VRML 2.0 which has a code name of "Moving Worlds" [2].

Straight construction of models by using the VRML language is simple but time consuming. A large number of tools were developed to create "worlds" by using simple commands and geometrical primitives. One of the tools of this kind is the "Cyber Passage Conductor" developed by Sony [3]. The large amount of time consumed with these tools is still a problem. In the last year, many converter programs appear in the market or were incorporated to existing programs, allowing to pass form three-dimensional drawing stored in the ".dxf" (Drawing Interchange Format) or ".max" (3D-Studio MAX) formats directly to VRML 2.0 models. Other sources of information on the VRML language are mentioned in reference [4], [5] e [6].

3. Using VRML in the Teaching of Technical Drawing

The possibility of manipulating virtual threedimensional objects offered by the VRML language, allows its direct use in the technical drawing teaching in all the Engineering areas and architecture. VRML models substitute with large advantages the traditional wood pieces and scale models in the teaching of views, projections and sections, where the students have large difficulties.

3.1. Objectives

By the use of three-dimensional VRML models, the following objectives are, seek:

- Up date the technical drawing teaching;
- Rise the degree of abstraction needed in the graphical representation;
- Prepare the future professionals to use new technologies, especially those that, like the shown here, allows an important gain in the productivity of industry;
- Incentive the individual and cooperative work of the students. In some cases students can do the work from different locations.

3.2. Methodology

The steps used for creating the three-dimensional models in VRML2.0 are:

3.2.1. Solid Modeling:

The models are created in a natural (1:1) scale using commercial CAD and solid modeling programs, as shown in Fig. 1




Fig. 1. 3D solid model crated by a CAD program

3.2.2. Lights, cameras, textures and materials:



The solid model created in the previous step, gains materials, textures and is mounted in a scene with cameras and lights as shown in fig 2.




Fig. 2. 3D solid model 3D with materials and textures in a scene with cameras and lights

3.2.3. Transforming a model 3D to VRML 2.0

The three-dimensional models with materials and textures, mounted in scenes defined by cameras and lights, are exported by using translators programs to virtual reality models. The solid model already load in the Internet browser (in this particular case the browser is the Nestcape using the "plug-in" COSMOS from Silicon Graphics) is shown in fig. 3. The icons, in the

lower part of the screen, allow moving, rotating, dragging and zooming the virtual model.

3.2.4. Putting the models in a VRML 2.0 Server

The WWW Internet server (httpd) has to be configured to deliver also the virtual models.






Fig.3. 3D solid model as seen in an Internet browser

3.2.4. Drills:

Together with the models ".wrl", exercises and drills are left in the server. The exercises are of

the following type: given the 3D model create or complete the orthographic projections. The exercises and drill are built in the form of "html" pages as shown in figures 4 and 5.

BEST COPY AVAILABLE






Fig.4. Solid model for the drill




Fig.5. Drill based on the model of figure 4.

4. Conclusions

With the reduction of the computer prices and the setup of computer laboratories in most of the universities, the proposed technique represents an advance, not only in the teaching of technical drawings, as well as in the use of new productivity tools.

Tests where applied in two groups of 1st and 2nd semester engineering students. One group received wooden models and the other the same pieces but in VRML models. The students were asked to receive three common drills.

Result of the tests, showed in Table 1, indicate that the rate of success with this method is at least as good as the success given by conventional wood models.

Table1: Number of Mistakes per group

Table 1. Number of Whatakes per group			
Drill/Group	Wood Models	VRML Models	
Complete Orthographic Views	24	25	
Draw hidden lines	11	7	
Draw Perspective	12	8	

Another aspects to be highlighted are the fact that, the students seem to be no intimidated by the use of this technique, and the learning on the use of the VRML browser is very fast.

References:

- [1] "The Virtual Reality Modeling Language: Version 1.0 Specification", Article in the Internet: http://www.hyperreal.com/ ~mpesce/vrml/vrml.tech/vrml10-3.html.
- [2] "The VRML 2.0 Specification", Article in the Internet: http://vrml.sgi.com/moving-worlds/VRML2.DRAFT3.html.
- [3] "Learning Cyber Passage Conductor", Article in the Internet: http://vs.sony.co.jp/VS-E/works/editor/manual_web/tutotrial.html.
- [4] "The VRML 2.0 Repository", Internet site: http://www.sdsc.edu/SDSC/Partners/vrml/d oc.html.
- [5] "VRML.SIG.COM", Internet site: http://vrml.sgi.com/intro.html.
- 6] "VRML Microsoft", Internet site: http:// http://www.microsoft.com/vrml/.





U.S. Department of Education

Office of Educational Research and Improvement (OERI)

National Library of Education (NLE)

Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:		
Title: Virtual Reality in the Teaching of the Technical Drawing		
Author(s): Gómez, Luis Alberto - Speck, Henderson - Souza, Antôi	nio Carlos – Silva, Julio	
Corporate Source:	Publication Date:	
Universidade Federal de Santa Catarina - CTC-ECV	AUG- 2000	
II. REPRODUCTION RELEASE:		

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, Resources in Education (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be effixed to all Level 1 documents	The sample sticker shown below will be affixed to all Level 2A documents	The sample sticker shown below will be affixed to all Level 28 documents
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES
1	2A	2B
Level 1	Level 2A	Level 2B
Check here for Level 1 reteese, permitting reproduction and dissemination in microfiche or other ERIC enchival media (e.g., electronic) and paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only	Chack here for Level 2B refease, permitting reproduction and dissemination in microfiche titily

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educated in asponse to discrete inquirles. Signature: Sign Printed Name/Position/Title; Luis Alberto Gómez - Professor - Dr. here. Organization/Address: please Universidade Federal de Santa Catarina - CTC-ECV +55-48-3315190 +55-48-3315191 Campus Universitário Trindade E-Mail Address: 88040-970 Firoanópolis - SC Brazil luis@ecv.usfc.br May 25th, 2001

